


NAOS
NAOS TILTING
NAOS RAPID

SEAGULL
SEAGULL TILTING
SEAGULL RAPID





IT Istruzioni di montaggio
EN Fitting instructions
DE Montageanleitung
FR Instructions de montage
ES Instrucciones de montaje
CS Návod na montáž
DA Monteringsvejledning
EL Οδηγίες συναρμολόγησης
ET Paigaldusjuhend
FI Asennusohje
HR Uputa za sastavljanje
HU A felszerelés módja
LT Stiprināšanas instrukcija













LV Pritvirtinimo instrukcijos
NL Instrukcja montażu
NO Monteringsveiledning
PL Instrukcja montażu
PT Instruções de Montagem
RO Instrucțiuni de montare
RU Инструкции по установке
SK Návod na montáž
SL Navodila za pritrjevanje
SV Monteringsanvisning
TK Uydurma talimat
ZH 裝修指導
AR تعليمات التحميل




Made in Italy





N.	[IT]Componenti (Inclusi) [EN]Components (Included) [FR]Composants (Comprises) [DE]Die Komponenten (im Lieferumfang enthalten) [ES]Componentes (Incluido)	NAOS SEAGULL	NAOS TILTING SEAGULL TILTING	NAOS RAPID SEAGULL RAPID
		Q.	Q.	Q.
1		1	1	1
2		1	1	1
3		2	-	-
4		1	1	1
5		1	-	-
6		-	1	1
7		-	1	-
8		-	-	1
9		-	-	1
10		-	2	2
11	 DX	1	1	1
12	 SX	1	1	1
13		1	1	1
14		1	1	1
15		1	1	1
16		1	-	-
17	 $\varnothing$ 4mm/0.1"	-	-	1
18		4	4	4
19		4	4	4
20		4	4	4
21		-	1	1
22	 0,6m/1.1ft	2	-	-
23	 $\varnothing$ 5mm/0.2"	1	1	1
24	 M16x70	1	1	-
25	 2,5m/8.2ft	1	1	1
26		6	6	6
27		2	2	2
28		1	1	1
29	 M8	4	4	4
30	 $\varnothing$ 8x17	8	4	4
31	 M8X20	4	4	4
32	 M6	18	18	18
33	 $\varnothing$ 6x12	2	2	2
34	 M6X40	2	2	2
35	 M6x45	4	4	4
36	 M6X14	2	2	2
37	 M6x50	8	8	8
38	 M5	4	4	4
39	 $\varnothing$ 6x18	2	2	2
40	 $\varnothing$ 5x15	4	4	4
41	 M6x70	2	2	2
42		4	4	4
43	 7pin	1	1	1


N.	[IT]Ricambi (A Richiesta) [EN]Spare Parts (Made to order) [FR]Pièces de rechange (Sur commande) [DE]E Teile (auf Anfrage) [ES]Piezas de recambio (Prevía solicitud)	Q.	Codice-Code-Código
2		1	700003300000
3		1	700026300000
4		1	700007500000
5		1	700003000000
6		1	700004300000
7		1	700011500000
6		1	
8		1	700011400000
9		1	
6		1	
17	 $\varnothing$ 4mm/0.1"	1	
10		1	700003200000
11	 DX	1	700007300000
12	 SX	1	700007400000
14		1	700020500000
15		1	
18		1	700020600000
19		1	
20		1	
22	 0,6m/1.1ft	1	700007700000
23	 $\varnothing$ 5mm/0.2"	1	700025000000
24	 M16x70	1	700004100000
25	 2,5m/8.2ft	1	700001100000
26		3	700003600000
28		1	700017500000
29	 M8	4	700020700000
30	 $\varnothing$ 8x17	8	
31	 M8X20	4	
32	 M6	18	700020800000
33	 $\varnothing$ 6x12	2	
34	 M6X40	2	
35	 M6x45	4	
36	 M6X14	2	
37	 M6x50	8	
38	 M5	4	700020900000
39	 $\varnothing$ 6x18	2	
40	 $\varnothing$ 5x15	4	
41	 M6x70	2	
42		4	700016400000
43	 7pin	1	

NAOS / SEAGULL




- 22  0,6m/1.1ft
- 23  5mm/0.2"
- 25  2,5m/8.2ft
- 28 
- 27 
- 43  7pin

NAOS TILTING / SEAGULL TILTING




- 23 5mm/0.2"
- 25 2,5m/8.2ft
- 28
- 27
- 43

NAOS RAPID / SEAGULL RAPID




NAOS / SEAGULL

N		Q
1		1
5		1
23		1
24		1
29		4
30		8
31		4




NAOS TILTING / SEAGULL TILTING

N		Q
1		1
6		1
7		1
23		1
24		1
29		4
30		4
31		4





NAOS RAPID / SEAGULL RAPID

N		Q
1		1
6		1
8		1
9		1
23		1
29		4
30		4
31		4






NAOS / SEAGULL



N		Q
3		2
16		1
32		4
35		4
42		4





NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID



N		Q
21		1
32		4
35		4
42		4




N		Q
13		1
14		1
15		1
23		1
32		2
41		2




N		Q
18		4
19		4
20		4
23		1
32		8
37		8




N		Q
2		1
11		1
12		1
38		4
40		4



N		Q
4		1
32	 M6	4
34	 M6X40	2
36	 M6X14	2
39	 Ø6x18	2
33	 Ø6x12	2







N		Q
26		6









NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID

N		Q
10		2













MIN 22"
MAX 29"





MAX 70mm / 2.7"



MAX 900mm / 35.4"


NAOS / SEAGULL

N		Q
22	 0,6m/1.1ft	2



NAOS TILTING / NAOS RAPID / SEAGULL TILTING / SEAGULL RAPID


N		Q
10		2







MIN Ø30 mm / 1.2"
MAX Ø50 mm / 2"

MIN 30x60 mm / 1,2"x2.4"
MAX 50x70 mm / 2"x2.7"




NAOS / NAOS TILTING / NAOS RAPID / SEAGULL / SEAGULL TILTING / SEAGULL RAPID

N		Q
26		6





NAOS / SEAGULL / NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID

N		Q
25	 2,5m/8.2ft	1




NAOS TILTING / SEAGULL TILTING / NAOS RAPID / SEAGULL RAPID






OPTIONAL

BRACCETTO DOPPIO DOUBLE RATCHET




Art.000104100000

BRACCETTO CORTO SHORT RATCHET




Art.000103900000

BRACCETTO LUNGO LONG RATCHET




Art.000104000000

EVIDENCE MIRROR



Art.000083100000


POMELLO ANTIFURTO



Art.000026400000

MAX  94/20/CE STANDARD	 Naos Seagull	 x2 MAX 15kg - 33Lb	 Naos tilting Seagull tilting	 x2 MAX 15kg - 33Lb	 Naos tilting Seagull tilting	 x2 MAX 15kg - 33Lb	 Car Manual
50 kg - 110Lb		30 kg - 66Lb		30 kg - 66Lb		30 kg - 66Lb	
>50 kg - 110Lb	9,9 kg - 20Lb	30 kg - 66Lb	12,3 kg - 26,4Lb	30 kg - 66Lb	13,7 kg - 28,6Lb	30 kg - 66Lb	

 **No Tandem**



130
km/h


80
mph



SPEED



SPEED



F.Ili Menabò S.r.l.
Via 8 Marzo, 3 -Z.I. Corte Tegge
42025 Cavriago (RE) ITALY
Tel. +39-0522/942840
info@flli-menabo.it
www.flli-menabo.it
www.m-way.it

Cod. istr.	Data	Creato da	Appr. da
500010700001	03/04/2019	NP	EL